

(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)


### **BLASTING & PAINTING SERVICES**

TOPFIELDS BORNEO SDN BHD provides Blasting & painting services for onshore/offshore facilities in various sectors including oil & gas, energy, marine, manufacturing & oil palm. We also provide shop blasting/coating services to our clients.





### **IMM – SSPC BLASTING & PAINTING TRAINING CENTER**



TOPFIELDS BORNEO SDN. BHD. provides blasting & painting related Training.

**COURSES PROVIDED:** 

IMM-SSPC Blasting Painting (C7 C12) B1B2 Certified Assistant B&P

IMM Coating Inspector Level 1 & Level 2 (CIL1 & CIL2)



# SUPPLY OF TOPGAUGE INSPECTION TOOLS

TOPFIELDS BORNEO SDN BHD. introduces our range of painting inspection equipment TOPGAUGE which includes dry film thickness gauges, wet film thickness gauges, surface profile gauges, infrared thermometers, magnetic surface temperature gauges and whirling hygrometers.





### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(1294574-M) (formerly operating as TOPFIELDS BORNEO PLT since 2017)

### **MANPOWER SUPPLY & INSPECTION SERVICES**

Professional Manpower Supply services for project management, inspection & skilled labour is the core business of TOPFIELDS BORNEO SDN. BHD. We strive to provide our customers with the best project management, site management and skilled labour that meets your project & clients requirements.





### INDUSTRIAL SUPPLIES



TOPFIELDS BORNEO SDN BHD warehouses and maintains stock from numerous other known brands of blasting & painting supplies, safety supplies & paint materials











# SUPPLY OF HIGH PRESSURE AIRLESS SPRAY HOSES

TOPFIELDS BORNEO SDN BHD introduces our range of high pressure airless spray hose TOPSPRAY HS 119(5800psi)



### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu, Sarawak

BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)

# HQ:

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20 Kemena Land District 97000 Bintulu Sarawak Malaysia

OFFICE NO. : +6 086-251 194

CONTACT: +6 019-780 9038(Lecka)







# **BLASTING PAINTING YARD:**

30Lot 15231 BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, 97000, Bintulu, Sarawak

CONTACT: +6 0107646577(Dhrmendra)

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(formerly operating as TOPFIELDS BORNEO PLT since 2017)

(1294574-M)

# YEAR OF REGISTRATION 2018

# COMPANY REGISTRATION NO. 1294574-M



# **MISSION STATEMENT**

To develop and promote technological advancement in the areas of paint technology industry throughout the Sarawak Region.

# **VISION STATEMENT**

To promote Sarawak Region as the centre for paint technology education, research and development throughout Southeast Asia and endeavour to establish paint technology related production facilities throughout the region in order to create a new export industry for the nation.

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

### BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(formerly operating as TOPFIELDS BORNEO PLT since 2017)

(1294574-M)

# **QUALITY POLICY**

TOPFIELDS BORNEO SDN BHD is committed to ensure all our products and services meet clients' unique requirement, providing on schedule delivery time and to complete all services awarded to us on time and within the objectives outlined as follow:

- 1. Provide innovative solutions to their problems.
- 2. Meets our client's needs & expectations in delivering our solutions.
- 3. Commits to continue on research & development in providing unique & innovative solutions.
- 4. Ensures that the personal attention to our clients is maintained & enhanced.

Central to this policy is the pursuant of technological & management excellence to ensure that proactive actions are consistently taken to improve on the technology, processes, products and most important of all, our services to our clients.

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(formerly operating as TOPFIELDS BORNEO PLT since 2017)

(1294574-M)

# **DRUG & ALCOHOL POLICY**

In accordance with Our Health, Safety and Environment Policy, Topfields Borneo Sdn. Bhd. recognizes the ill effects of drug and alcohol abuse towards employees' work performance and the company's commitment towards health, safety and environment in carrying out operations. The company employs a no tolerance policy to ensure that all **TBSB** employees are not under the influence during their presence at workplace.

This policy shall be enforced through drug and alcohol test programs conducted at the workplace at regular intervals which all employees are subject to at any time, at the discretion of the management. Employees who are found to be in contravention of the said guidelines shall be subjected to disciplinary action.

The company requires all its employees, contractors and others to strictly adhere to this policy at all times. Joint venture partners of the company are expected to implement an effective drug and alcohol program, which is in line with the industry's best practices.

**HEADQUARTERS :** 

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(formerly operating as TOPFIELDS BORNEO PLT since 2017)

(1294574-M)

# **STOP WORK POLICY**

Topfields Borneo Sdn. Bhd. is committed to pursue the goal of no harm to people and to protect the environment.

It is our policy that all employees, including contractor staff, should stop work when there is an immediate threat to the safety and health of the employees or that of others or adverse impact to the environment.

The individual's decision to stop work has the full support of Management. Where there is any doubt whether work should stop, employees, including contractor staff, should immediately notify the hazardous situation to any supervisor on site.

**HEADQUARTERS :** 

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)

# **SAFETY & HEALTH POLICY**

Topfields Borneo Sdn. Bhd. sets it goals towards Safety, Health and the Environment by developing business activities in accordance to all related statutory and regulatory standards that govern Occupational Safety and Environmental Protection in Malaysia. We will endeavor to ensure our activities, services and products do not endanger our employers, suppliers, our clients and the public and whoever that has dealings with our organization. We believe and are confident that the principles of safety and health, when rightly implemented, are fundamental to the effective implementation of this Policy.

Our HSE committee is chaired by its Director, under the guidance of a Safety and Health Officer (SHO) as an external consultant.

### MANAGEMENT RESPONSIBILITIES

Prepares and maintains a high standard of safety and health measures of each facility, equipment and system accompanied by the appropriate measures for welfare and emergency safety facilities.

Provides training and information to all employees, suppliers, associates and clients regarding the risks that they face in their working environment.

Provides sufficient safety and protective equipment for every employee.

Abides by the stipulated safety and health rules and regulations of Malaysia and promote the best safety practices.

Ensures all activities and work areas are safe and free from any dangers or risks to health.

Provides an effective communication protocol, which the management and the employees as well as our clients can co-operate and work together on developing and promoting measures in ensuring safety in our working environment.

Develops and updates the emergency procedures in accordance with the requirement of the Malaysia n Statuary and regulatory requirements.

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)

# **BLASTING AND PAINTING SERVICES**

TOPFIELDS BORNEO SDN BHD provides Blasting & painting services for onshore/offshore facilities in various sectors including oil & gas, energy, marine, manufacturing & oil palm. We also provide shop blasting/coating services to our clients.

TOPFIELDS BORNEO SDN. BHD. is the only service provider for Blasting & Painting Services with a consolidated supplies of blasting & painting equipment, accessories, consumables, ppe, tools, inspection equipment in the Sarawak Region.

We are able to provide our clients with cost effective Blasting & Painting solutions. We carry both Dry Abrasive & Wet Abrasive Technology and can cater to suit client environment & situation.

Our Technical Team has extensive knowledge in all aspects of Blasting & Painting project execution from supervision, logistic management, to crewing & procurement of supplies.



HEADQUARTERS : No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com

### Contact us: +6 086 - 251 194 / +6 014 - 668 5845

Coating Thickness Gauges are typically used as a means of quality control during after paint application. The Dry Film Thickness gauge is than used after the paint has dried by the Quality Control personnel to verify and report that the paint application has met the project requirements.

Surface Profile gauges are used to measure surface profile or anchor pattern of a steel substrate after surface preparation by blasting or other mechanical methods. The purpose of measuring the surface profile is to meet the requirements of the coating ensuring that the coating applied adheres to the steel substrate after curing. (Mechanical Bonding)

Generally, the wet film thickness gauge is used by a painter to check if the paint applied has met the requirements of the project.

Ambient Conditions and Temperature monitoring devices are using as part of quality control process during Blasting & Painting Activity.

Relative Humidity, steel temperature and dew point temperature monitoring process is vital, without proper monitoring condensation of dew or moisture on the surface of the substrate is likely to occur after blasting or before paint film application.

Topfields Borneo Sdn. Bhd. manufactures a range of ambient conditions monitoring devices such as Whirling Hygrometers, magnetic surface temperature gauges and infrared thermometers.

### TOPGAUGE DFT 219 Dry Film Thickness Gauge



TOPGAUGE SPG 1018 Digital Surface Profile Gauge



TOPGAUGE WFT 918 Wet Film Thickness Gauges



TOPGAUGE DT8850 Infrared Thermometer



TOPGAUGE STG 918 Magnetic Surface Temperature Gauge



### TOPGAUGE WHM 1018 Whirling Hygrometer





# PAINTING INSPECTION TOOLS

©2019 by Topfields Borneo Sdn. Bhd.

Purchase online at: www.topfieldsborneo.com



Contact us: +6 086 - 251 194 / +6 014 - 668 5845

# **TOPGAUGE DFT 219** Dry Film Thickness Gauge(detachable probe)

TOPFIELDS BORNEO SDN. BHD. provides a portable dry film thickness gauge that is capable of measuring coating thickness quickly, precisely and suitable for both laboratory and fields engineering environment





Model	TOPGAUGE 818		
SUBSTRATE RANGE	FE/NFE		
RANGE	0-2250um(Fe)/0-1250um(Nfe)		
Accuracy error	± 1+3% or 2.5um(whichever is greater)		
Power	2x1.5vAAA battery		
Unit	Um/mil		
Temperature	0-40°C		
Humidity	≤85%		
Minimum Curvature	5 mm convex; 5mm concave		
Weight	90g		
Size	120mm*63mm*25mm		

Product Accessories			
Standard Accessories	Main Unit (1pc)		
	Fe & Nfe Dual Probe(1pc)		
	Calibration Foils (1set)		
	Substrate (Iron)		
	Substrate (Aluminium)		
	Carrying Case (1pc)		
	Operation Manual (1pc)		

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

### BINTULU YARD :

30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL :

info@topfieldsborneo.com

WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com

Contact us: +6 086 - 251 194 / +6 014 - 668 5845



# **TOPGAUGE SPG 1018**

### Digital Surface Profile Gauge

TOPFIELDS BORNEO SDN. BHD. introduces a digital surface profile gauge for blasting & painting industry. This equipment is suitable for both laboratory and field environment. The liquid crystal display clearly shows all the measured parameter with high accuracy.





# FEATURES


- •Metric & Imperial units available
- •Direct measurement of the surface peak-through height
- •Data can be tranfrerred through USB, RS-232 to pc connection or by Bluetooth.
- •Provides a maximum value latch & undervoltage alarm function.

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com





Product Description			
Display	LCD Display		
Resolution	1 um (0.1mils)		
Range	0-750 um (0-29.5mils)		
Measurement Speed	>30 readings per minute		
Operating Humidity	No more than 85%		
Accuracy	±5% or ±5 um (whichever is greater)		
Operating Temperature	0°C - 50°C (32°F - 120°F)		
Power Supply	2 x 1.5 V AAA (UM-4) Battery		
Weight	310g (Not including Batteries)		
Size	170mm*63mm*24mm		

Product Accessories		
Standard Accessories	Main Unit (1pc)	
	Calibration Block (1pc)	
	Carrying Case (1pc)	
	Operation Manual (1pc)	

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

### **BINTULU YARD :**

30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com

Contact us: +6 086 - 251 194 / +6 014 - 668 5845

**TOPGAUGE DTG219** 

### Micrometer Surface Profile Gauge

TOPFIELDS BORNEO SDN. BHD. provides portable Micrometer Surface profile gauges suitable for obtaining peak to valley surface profile reading from replica tape that is displays digital and clear reading can be used for for both laboratory and field engineering environment





# **FEATURES**

- •Large LCD display for easy reading
- •Mm/inch conversion at any position
- •Zero setting at any position
- •Low Voltage warning by flashing display
- •Manual power on/off or auto power off
- ·Comes with convenient casing
- •Suitable for both laboratory and field use

### SPECIFICATIONS

- •Range:0-10mm
- Accuracy: +- 0.02mm
- Top probe: 6mm
- Bottom probe: 10mm

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com



Purchase online at: www.topfieldsborneo.com


Contact us: +6 086 - 251 194 / +6 014 - 668 5845



# **TOPGAUGE WFT 918**

Wet Film Thickness Gauges

TOPFIELDS BORNEO SDN. BHD. provides a portable Wet film thickness gauges that is capable of measuring wet coating thickness quickly, precisely and suitable for both laboratory and fields engineering environment





# FEATURES

- •Long lasting & reusable
- Stainless steel
- •Wide measurement range, 25 to 3000um
- •Comes with convenient pouch
- •Suitable for both laboratory and field use

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com

Contact us: +6 086 - 251 194 / +6 014 - 668 5845



# **TOPGAUGE DT8850**

Infrared Thermometer

TOPFIELDS BORNEO SDN. BHD. introduces a unique method of measuring surface temperature during blasting and painting activity, using a fast and reliable method utilizing infrared thermometers. Simply aim and press the button at any object or surface. Safely measures temperature of hot, hazardous and hard to reach areas.





# HERE TAR

# FEATURES

- •Compact & Easy to use
- •Wide measurement range, -50°C to 850°C
- •Comes with convenient pouch bag
- •Suitable for both laboratory and field use

### HEADQUARTERS :

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

EMAIL : info@topfieldsborneo.com

WEBSITE: www.topfieldsborneo.com

BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

Purchase online at: www.topfieldsborneo.com

Contact us: +6 086 - 251 194 / +6 014 - 668 5845



# **TOPGAUGE STG 918**

### Magnetic Surface Temperature Gauge

TOPFIELDS BORNEO SDN. BHD. provides a portable Magnetic Surface Temperature gauges which are cheap and effective at measuring surface temperature of steel surfaces during blasting & Painting Activity.





# **FEATURES**

- Long lasting & reusable
- •Wide measurement range, 0°C to 120°C
- •Comes with convenient pouch
- •Suitable for both laboratory and field use

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com

Contact us: +6 086 - 251 194 / +6 014 - 668 5845



# **TOPGAUGE WHM 1018**

Whirling Hygrometer

TOPFIELDS BORNEO SDN. BHD. provides portable Whirling Hygrometers that is displays wet and dry bulb temperature readings accurately suitable for both laboratory and field engineering environment



HYGROMETRIC TABLES				
TABLE OF WET & DRY BULB THERMOMETER READINGS WITH CORRESPONDING PERCENTAGES OF HUMIDITY				
CELSIUS SCÂLE	CELSIUS SCÂLE CELSIUS SCALE CELSIUS SCALE			
Dr.     Dependence       C 517     517 <td< th=""><th>Image: Control of the start of the</th></td<>	Image: Control of the start of the			
$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $				
$\begin{array}{c c c c c c c c c c c c c c c c c c c $				

# **FEATURES**

- •Simply design and easy to read
- •Simple measurement of relative humidity & dew point temperature.
- •Comes with a pocket sized leaflet hygrometric table
- •Comes with convenient pouch
- •Suitable for both laboratory and field use

### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com



Contact us: +6 086 - 251 194 / +6 014 - 668 5845

# **TOPGAUGE UA-963** *Humidity & Temperature Meter*

### FEATURES

- ·Large LCD display for easy reading
- Lightweight
- ·Comes with convenient pouch bag
- ·Suitable for both laboratory and field use
- Enable/disable auto power off: The meter shuts off automatically after 15 minutes inactivity under auto power off mode, disable auto power off is available

Model	TOPGAUGE UA-963
Humidity range	0~100%RH
Temperature Range	-20°C~ 70°C/-4°F~ 158°F
Temperature Accuracy	±1.0°C/±2.7°F
Dew point temp Range	20°C~70°C/-4°F~ 158°F
Dew point temp Accuracy	±1.5°C/±2.7°F
Data update	0.5s
Operating conditions	-20~60°C/-4°F~140°F,10RH%~90RH%
Storage conditions	-20~60°C/-4°F~140°F,10RH%~75RH%
Weight	75g
Size	168*56*30.5mm
Power supply	3*1.5V"AAA" batteries (Not included)





### **HEADQUARTERS :**

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu, Sarawak BINTULU YARD : 30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL :

info@topfieldsborneo.com

WEBSITE: www.topfieldsborneo.com

Purchase online at: www.topfieldsborneo.com

Contact us: +6 086 - 251 194 +6 014 - 668 5845



# **TOPSPRAY HS119** Airless Paint Spray Hose (5800psi)

TOPFIELDS BORNEO SDN. BHD. manufacturers high pressure reinforced airless paint spray hoses. TOPSPRAY HS 119 comes with 1/4" female NPT Fittings & Spring Guard. Uses

Made from PA12 material for superior mechanical properties.

PA 12 (also known as Nylon 12) is a good general-use plastic with broad additive applications and is known for its toughness, tensile strength, impact strength and ability to flex without fracture.



### •CHARACTERISTICS

- •High abrasion resistance
- •High operating pressure(5800psi)
- •Chemical and solvents resistant



### FEATURES

- •Tube: internal core in polyamide
- •Reinforcement: one layer steel wire
- •Cover: polyurethane
- •Temperature: -40°C to 100°C



₹ I.D	↓ O.D	() W.P	第100 B.P	
6.4mm	14.0mm	40 Mpa	120MPa	55mm
1/4"	0.49"	5800psi	17400psi	



(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)

# **INDUSTRIAL SAFETY SUPPLIES**





# TOPFIELDS BORNED SDN. BHD. (1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)


# **BLASTING & PAINTING SUPPLIES**





(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)



# For Registrations:

Send in your inquiry to our web portal at: https://topfieldsborneo.co m/IMM-TRAINING/

or contact our Administrative Team :

Office: +6 086 - 251 194 Mobile: +6 019 - 780 9038

E-mail :

lecka@topfieldsborneo.com

info.topfieldsborneo.com

# IMM-SSPC Blasting Painting (C7 C12) B1B2 Certified Assistant B&P

Become an SSPC certified Blaster Painter with IMM C7 & C12 program today. Our C7 and C12 program has become our local industry standard. Furthermore, this professional certification is issued by IMM/SSPC to qualify you to work as a blaster painter within malaysia or internationally.

IMM Assistant Blaster Painter B1B2 program is the first professional blasting & painting program you should undergo to become a certified blaster painter in the oil & gas industry.

# IMM Coating Inspector Level 1 & Level 2 (CIL1 & CIL2)

IMM Coating Inspector is the most sought after certification to become a coating inspector within Malaysia & is widely accepted by all industries including Oil & Gas.

Provided **FREE** for every participant:

- 1. Free Accommodation
- 2. Food & Beverages
- 3. Free Gifts according to course
- Transportation to & fro accommodation to training center provided

### HEADQUARTERS :

No.50, Lot 2624, Kidurong Gateway Business Park, Block 20, Kemena Land District, 97000 Bintulu,Sarawak

### **BINTULU YARD :**

30 Lot 15231, BLK 32 Kemena Land District, Jayhub Industrial Estate, Jalan Tun Hussein Onn, Bintulu, Sarawak

EMAIL : info@topfieldsborneo.com WEBSITE: www.topfieldsborneo.com





(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)

# IMM-SSPC Blasting Painting (C7 C12) B1B2 Certified Assistant B&P

### WHO SHOULD ATTEND ?

- Contractors and facility owners
- Project supervisors
- Contractor craftworkers who wish to obtain certification
- Others who wish to learn about dry abrasive blast cleaning of steel

### □ Abrasive Blasting Program (C7)

 Principles of Surface Preparation
Nozzle Abrasive Blast Cleaning Systems (with Hands-On Session)
Wet Abrasive Blast Systems (with Hands-On Session)
Abrasives
Portable Centrifugal (Wheel)
Abrasive Blast Cleaning Systems (with Hands-On Session)
Abrasive Blast Cleaning Systems (with Hands-On Session)

### Spray Application Program (C12)

Introduction/Overview of Airless/Conventional Spray Equipment
Operational Systems
Proper Mixing Techniques
Proper Spray
Techniques
Troubleshooting
Convention Spray (optional)

# For Registrations:

Send in your inquiry to our web portal at: <u>https://topfieldsborneo.com/l</u> <u>MM-TRAINING/</u>


or contact our Administrative Team :

Office: +6 086 - 251 194 Mobile: +6 019 - 780 9038

E-mail :

lecka@topfieldsborneo.com

info.topfieldsborneo.com



Programme	Course Fee	Promotion 2020
IMM – SSPC C7 Blaster Certification	RM 3,050.00	Free one(1) pcs Micrometer surface profile gauge for each participant
IMM – SSPC C12 Painter Certification	RM 3,050.00	Free one(1) pcs steel Wet film thickness gauge for each participant
IMM – SSPC C7 C12 Blaster Painter Certification	RM 5,800.00	Free one(1) pcs steel Wet film thickness gauge & Free one(1) pcs Micrometer surface profile gauge for each participant
IMM B1B2 Certified Assistant B&P	RM 2,150.00	Free one(1) pcs steel Wet film thickness gauge for each participant











(1294574-M)

(formerly operating as TOPFIELDS BORNEO PLT since 2017)

# IMM Coating Inspector Level 1 & Level 2 (CIL1 & CIL2)

### Who should apply?

The scheme is suitable for persons such as painting inspector, painting supervisor, technicians, specifiers and engineers who have been trained and/or have experience in coatings inspection and desire to be certified for career advancement.

### CIL1 - IMM Coating Inspector Level 1

1. Basics on corrosion theory 2. Composition & manufacture of paints 3. Surface preparation 4. Application & storage of paints 5. Paint faults and coating defects test 6. Measuring instrument / Inspection – Diagnose Failure 7. The role of a coating inspector / ITP 8. Painting specification 9. Calculation / Mathematics' 10. Safety and health

### CIL2 - IMM Coating Inspector Level 2

1. Corrosion theory and terminology 2. Advance surface preparation 3. Advance Paint faults and coating defects test 4. Measuring instrument / Inspection – Diagnose Failure 5. Composition & manufacture of paints 6. Application & storage of paints 7. The role of a coating inspector / ITP 8. Painting specification 9. Calculation / Mathematics' 10. Safety and health

# For Registrations:

Send in your inquiry to our web portal at: <u>https://topfieldsborneo.com/l</u> <u>MM-TRAINING/</u>

or contact our Administrative Team :

Office: +6 086 - 251 194 Mobile: +6 019 - 780 9038

E-mail :

lecka@topfieldsborneo.com

info.topfieldsborneo.com

Programme	Course Fee
IMM COATINGS INPECTOR LEVEL 1 (CIL 1)	RM 5,900.00
IMM COATINGS INSPECTOR LEVEL 2 (CIL 2)	RM 3,500.00

